

دائرة اللوازم والمشتريات

عطاء رقم (2019.20/ T03)

أجهزة مختبر الاستعاضة السنية والتقويم.

2019, 2020



عطاء أجهزة مختبر الاستعاضة السنية والتقويم.

وتائق العطاء:

- أ- الجزء الأول:
- (1) دعوة العطاء
- (2) الشروط والتعليمات التنظيمية للعطاء
 - (3) طريقة الدفع

ب- الجزء الثاتي:

(1) جدول الكميات والمواصفات الفنية

الجزء الأول (1)

(إعلان طرح عطاء رقم T03/2019.20)

أجهزة مختبر الاستعاضة السنية والتقويم.

تدعو الجامعة العربية الأمريكية الشركات المختصة الى المشاركة في العطاء المذكور أعلاه. يمكن الاستفسار أو الحصول على وثائق العطاء من دائرة اللوازم والمشتريات في الجامعة/ مبنى الدوائر الإدارية الطابق الثاني، هاتف- 2418888 04- تحويلة 1488 فاكس 2510972 04 بريد الكترونيpnp@aaup.edu مقابل مبلغ غير مسترد مقداره (100دولار امريكي) تدفع في إحدى البنوك المعتمدة وذلك اعتباراً من يوم (الثلاثاء) الموافق 2019/8/27

ملاحظات .

1. تقديم عرضين: فني ومالي، وسيتم دراسة العروض فنياً ومالياً الختيار العرض المناسب.

2. آخر موعد لتسليم العطاءات هو في تمام الساعة الثانية من يوم الثلاثاء 2019/9/10 ولنفس المكان.

3. يجب تقديم كفالة دخول عطاء 5% من قيمة العطاء على شكل كفالة بنكية أو شيك بنكي مصدق لصالح الجامعة العربية الأمريكية .

لأسعار بالدولار الامريكي وتشمل جميع الضرائب بما فيها ضريبة القيمة المضافة وعلى المورد تقديم الفواتير
 الضريبية وشهادة خصم المصدر.

الجامعة غير ملزمة بأقل الأسعار وبدون إبداء الأسباب.

6. رسوم الاعلان على من يرسو عليه العطاء.



(2) الشروط والتعليمات التنظيمية للعطاء

- على جميع المشاركين في العطاء الالتزام التام بهذه الشروط والتعليمات، وهي تعتبر جزءاً لا يتجزأ من أي أمر
 شراء أو عقد يبرم مع المشارك الفائز ما لم ينص صراحة على خلاف ذلك في أمر الشراء أو العقد.
 - 2. في هذه الشروط والتعليمات يرمز إلى "الجامعة العربية الامريكية بالاختصار (AAUP).
 - 3. يجب أن تكون الشركة المتقدمة للعطاء مسجلة رسمياً ومشتغلاً مرخصاً.
 - 4. تقدم الأسعار بالدولار الامريكي شاملاً لجميع الضرائب بما في ذلك ضريبة القيمة المضافة (VAT).
- 5. يلتزم المشارك الفائز بتقديم شهادات خصم المصدر والفواتير الضريبية اللازمة وأية مستندات قانونية أخرى
 تغطى عملية الشراء.
- يجب أن تشتمل الأسعار على جميع المصاريف المطلوبة من النقل والتركيب والتشغيل والفحص والصياتة والتدريب في المواقع المحددة في جدول المواصفات والكميات المرفق.
 - 7. يجب أن تكون الأسعار المقدمة سارية المفعول لمدة لا تقل عن (90) يوماً من تاريخ تقديم العرض.
- 8. على المشارك الفائز تقديم كفالة حسن تنفيذ خلال أسبوع من تاريخ الاتفاقية بحيث تعادل (10%) من قيمة الاتفاقية على شكل كفالة بنكية صادرة عن إحدى البنوك العاملة في فلسطين أو شيك مصدق صادر لصالح "الجامعة العربية الامريكية".
- 9.إذا تخلف المناقص الفائز عن تقديم كفالة حسن التنفيذ عن الموعد المحدد في البند السابق فإنه يحق لـ (AAUP) الغاء الإحالة.
- 10. تعاد كفالة حسن التنفيذ بعد استكمال التوريد وجميع شروط العقد أو أوامر الشراء وبموجب الوثائق الأصولية اللازمة للاستلام.
 - 11. على المشاركين في العطاء ارفاق كتالوجات عن المنتج.
- 12. يلتزم من يرسو عليه العطاء بدفع غرامة تأخير بواقع (0.1%) عن كل يوم تأخير من قيمة الأعمال المنجزة عن الترام من يرسو عليه العظاء بدفع غرامة تأخير بواقع (0.1%) عن الوقت المحدد في الاتفاقية، ويتم احتساب هذه الغرامات من الدفعات المستحقة له أو من كفالة حسن التنفيذ.
- 13. يحق لـ (AAUP) إلغاء العطاء دون إبداء الأسباب كما أن (AAUP) غير ملزمة بإحالة العطاء على أقل العروض سعراً دون إبداء الأسباب. ولها أن ترفض كل أو بعض العروض المقدمة لها دون أن يكون لأي من المشاركين الحق في الرجوع إليها بأي خسارة أو ضرر ناجم عن تقديم عرضه ولا يترتب على (AAUP) أي التزامات مادية أو غير مادية مقابل ذلك.



- 14. يلتزم من يرسو عليه العطاء بتقديم كفالة بنكية (صيانة) بقيمة (5%) من قيمة الأعمال المنجزة صالحة لمدة عام من تاريخ تسليم الأعمال.
- 15. على المشارك في العطاء تقديم عرضه على أساس المواصفات الفنية االمبينة في وثائق العطاء وبموجب الكميات المحددة في جدول الكميات المرفق.
- 16. لا يجوز للمشارك في العطاء أن يتنازل لأي طرف آخر عن كل أو جزء من أمر الشراء دون الحصول على إذن خطي من (AAUP) مع الاحتفاظ بكامل حقوق (AAUP) وفقاً لشروط أمر الشراء.
- 17. عند دراسة العروض يؤخذ بعين الاعتبار كفاءة المناقص من الناحيتين المالية والفنية وقدرته على الوفاء بالتزامات العطاء وخبرته في تقديم اللوازم المطلوبة والسمعة التجارية والتسهيلات التي يقدمها ويجوز استبعاد عرضه لنقص كل أو بعض هذه المتطلبات.
 - 18. لا تقبل العروض أو التعديلات التي ترد بعد التاريخ والموعد المحدد كآخر موعد لتقديم العروض.
 - 19. يجب تعبئة جداول المواصفات المرفقة و لن ينظر بأي عرض لا يلتزم بتعبئة الجداول.
 - بد ويسمح بتقديم عرضان اثنان فقط كحد اقصى لكل بند
 - يجب تقديم عرضي الاسعار الفني والمالي بنسختين: الأولى ورقية، والأخرى الكترونية (محوسبة).
 - يد تقديم العرضين المالي والفني الورقيين بالظرف المختوم، مع ضرورة وضع ختم الشركة والتوقيع على كل الصفحات (للعرض المالي بالذات)



(3)

طريقة الدفع

خلال (90) يوماً من التوريد والقبول والاستلام النهائي، مقابل تقديم الكفالات المطلوبة.




الجزء الثانى

1. جـدول الكميات والمواصفات الفنية عطاء أجهزة مختبر الاستعاضة السنية والتقويم.

No.	Product	Qty	Unit Price USD	Total Price USD
1	Trimmer	2		303
2	Dust Extractor	5		
3	Micro Motor	25		
4	Water Bath	1		
5	Polish Machine	1		
6	Polyclave	2		
7	deflasking Chisel	2		
8	Dental lab curing unit	1		
9	Dental Steam Cleaner	2		
10	CAD/ CAM system lab side	1		
11	Vibrator	2		
	<u>Total</u>			

في حالة وجود استفسار يرجى تزويدنا بها من خلال البريد الالكتروني للرد عليها pnp@aaup.edu





Item 1 Trimmer

For dental lab

3 years warranty

Good Brand Name and Country of origin (USA, Europe, Japan)

wet Trimmer.

Motor: 1400 W , 2800 RPM .

Quiet operation.

Adjustable table With work plate aluminum to strengthen the disc against excessive

Automatic solenoid water valve and tap-flow regulator.

With Splash shield .


Power: 220 / 50 Hz.

With trimmer discs .

With extra one gasket.

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقنى وفي حال عدم تعبئة الجدول بالأسفل أو عدم وجود عرض تقنى واضح فلن ينظر بالعرض المقدم

Trimmer	Compliance Yes / No (if no put your comments)
Manufacture	
Model	Manufacture
Origin	Model
Delivery time	Origin
3 years warranty	Delivery time
wet Trimmer .	Yes / No
	Yes / No
, 2000 RI W .	Yes / No
Quiet operation .	Yes / No
Adjustable table With work plate aluminum to strengthen the disc against excessive	Yes / No
Automatic solenoid water valve and tap-flow regulator.	Yes / No
With Splash shield.	Yes / No
Power: 220 / 50 Hz.	Yes / No
With trimmer discs.	SCALL STRONG
With extra one gasket.	Yes / No
	Yes / No
0 years Warranty for spare parts Availability from date of instillation	Yes / No
Price include installation and team training in site to staff.	Yes / No
Service & operation manuals are included.	Yes / No
Date of manufacturing of Trimmer not less than 2019 .	Yes / No





Dust Extractor

For dental lab

3 years warranty ,Good Brand Name and Country of origin (USA , Europe , Japan)

3 workbench extraction

Silent very quiet 59 Db.

120 cubic feet per minute (CFM) suction power.

Suction efficiency : 99.99% of very fine dust (<2 μ m)

With hose, With dust protection (for user), adaptor for connect the protection with system.

With different filters stage.

With extra one filter include in main price.

Voltage 220V.

Optional price:

Filter

With Extractor clamp: Secure fixture to work tables of thickness, Variable and individual connection for extraction hose on the right or on the left .

يجب تعبنة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبنة الجدول بالأسفل أو عدم وجود عرض تقني واضح فلن ينظر بالعرض المقدم

Dust extractor Manufacture	Compliance Yes / No (if no put your comments)
Model	Manufacture
Origin	Model
Delivery time	Origin
3 years warranty	Delivery time
For dental lab	Yes / No
3 workbench extraction	Yes / No
Simple and user friendly .	Yes / No
Silent very quiet 59 Db.	Yes / No
120 out of the state of the sta	Yes / No
120 cubic feet per minute (CFM) suction power.	Yes / No
Suction efficiency: 99.99% of very fine dust (<2 μm)	Yes / No
the protection with system.	Yes / No
With different filters stage.	
With extra one filter include in main price.	
Voltage 220V.	
	Yes / No
Optional price:	
filter	D-t-
With Extractor clamp: Secure fixture to work tables of	Price
nickness, Variable and individual connection for extraction	
ose on the right or on the left	
years Warranty for spare parts Availability from date of instillation	Yes / No
recomended installation and fear training in site to staff	Yes / No
Tyrce & operation manuals are included	Yes / No
ate of manufacturing of Trimmer not less than 2019. مع القطع و الإضافات اللازمة لعمل الجهاز و توضيح أية متطلبات تلزم قبل التركيب وتوضيح ذلك في العرض	15

تلتزم الشركة بتقديم عرض كامل مع القطع والاضافات اللازمة لعمل الجهاز و توضيح أية متطلبات تلزم قبل التركيب وتوضيح ذلك في العرض

PPD-P03-R05 2 25/07/2018

item 3 Micro Motor

Brand name. 3 years warranty, 10 years availability spare parts.

Origin: USA, EURO ,japan .

Adjustable Speed : 0-50,000 rpm.

Digital speed display and Error code digital display.

Forward and reverse direction .

Auto cruise (Speed Holding) Forward and reverse direction .

Operated by : foot , hand , knee .

Electrical: 220 V, 50 HZ.

Hand piece:

Brushless motor, Torque: 7 N.cm., vibration free, Noiseless.

easy to change chucks and Included: two chucks 2.35.

Handpiece cord more than 1 m with Maintenance tools for Handpiece.

Optional price: Handpiece

* يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبئة الجدول بالأسفل أو عدم
 * وجود عرض تقني واضح فلن ينظر بالعرض المقدم

Micro Motor	Compliance Yes / No
Manufacture	(if no put your comments) Manufacture
Model	
Origin	Model
Delivery time	Origin
3 years warranty	Delivery time
Adjustable Speed : 0 – 50,000 rpm.	Yes 1 1
Digital speed display .	Yes
Forward and reverse direction .	
Auto cruise (Speed Holding)	Yes
Operated by : foot , hand , knee .	Yes
Error code digital display .	Yes
Electrical: 220 V, 50 HZ.	Yes
Hand piece :	Yea
Brushless motor	Yes
Torque: 7 N.cm.	Yes Yes
vibration free , Noiseless .	Yes
easy to change chucks.	Yes
Include in unit price: two chucks 2.35.	Yes
handpiece cord more than 1 m.	Yes the
Maintenance tools for handpieces .	Yeari
Service and user manual And anomal at the control of the control o	Yes
Service and user manual And spare parts list included . Electrical: 220 V , 50 HZ .	Year III
Your warranty must be include all spare parts and labor	Yes
	Yes
Price should be include installation and team training to (doctor, staff, operator for operation training) in site.	Yes IN
Service & operation manuals are included	Yes
Date of manufacturing of system not less than 2019.	Yes

Item 4 Water Bath

For dental lab 3 years warranty

Good Brand Name and Country of origin (USA, Europe, Japan)

Simple and user friendly.

Temperature control up to 130 C .

Volume 22 L

Temperature control and display.

Over temperature protection.

Stainless steel internal chamber.


With cover

Optional price:

Heater

يجب تعبنة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبنة الجدول بالأسفل أو عدم وجود عرض تقني واضح فلن ينظر بالعرض المقدم

Water Bath	Compliance Yes / No (if no put your comments)
Manufacture	
Model	Manufacture
Origin	Model
Delivery time	Origin
3 years warranty	Delivery time
For dental lab	Yes / No
Simple and user friendly.	Yes / No
Temperature control up to 130 C.	Yes / No
Volume 17 L	Yes / No
The second secon	Yes / No
Temperature control and display.	Yes / No
Over temperature protection.	
With cover	
Stainless steel internal chamber .	Yes / No
	Yes / N
Optional price :	
Heater	Price
10 years Warranty for spare parts Availability from date of instillation	
Price include installation and team training in site to staff.	Yes / No
Service & operation manuals are included.	Yes / No
Pate of manufacturing of T.	Yes / No
Date of manufacturing of Trimmer not less than 2019 .	Yes / No





Polish Machine

For dental lab

3 years warranty

Good Brand Name and Country of origin (USA, Europe, Japan)

Polish station with light and suction .

Speed selection knop: two speed low (1000-1500~rpm) & high (2500-3000~rpm) with twin speed polish lathe .

Two stand stainless steel quick release (brush holder) suitable for all kind of brushes with quick chuck.

Unit Price include spiral chuck , With cones to support disc .

Main power switch and speed control switch

Thermal protective and electric fuse .

overall stability, Rubber feet.

Power: 350 W - 220v / 50 Hz.


Complete system comes with a heavy gauge, stainless steel, powder coated cabinet, two suction motors & cartridge filters, two fluorescent lights, two dust collection trays, two insert pans and a 26A Red Wing Polishing lathe.

Optional:

With acrylic cardide burs

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبئة الجدول بالأسفل أو عدم وجود عرض تقتى واضح فلن ينظر بالعرض المقدم

Polish Machine	Compliance Yes / No (if no put your
Manufacture	comments)
Model	Manufacture
Origin	Model
Delivery time	Origin
3 years warranty	Delivery time
Speed selection knop : two speed low (1000, 1700	Yes / No
Speed selection knop: two speed low (1000-1500 rpm) & high (2500 - 3000 rpm) with twin speed polish lathe .	Yes / No
Two stand stainless steel quick release (brush holder) suitable for all kind of brushes	Yes / No
With cones to support disc .	26-0-1-1-1-1
Polish station with light and suction.	Yes / No
Main power switch and speed control switch	Yes / No
Thermal protective and electric fuse.	Yes / No
overall stability, Rubber feet.	Yes / No
Power: 350 W - 220v / 50 Hz.	Yes / No
	Yes / No
With aluminum splash guard with shield.	Yes / No





Complete system comes with a heavy gauge, stainless steel, powder coated cabinet, two suction motors & cartridge filters, two fluorescent lights, two dust collection trays, two insert pans and a 26A Red Wing Polishing lathe.	Yes / No
Service and user manual And spare parts list included .	Yes / No
Price include installation with training in site	Yes / No
10 years Warranty for spare parts Availability from data of instillation	
Frice include installation and team training in site to staff	Yes / No
Service & operation manuals are included with spare part list	Yes / No
Date of manufacturing of Polish machine not less than 2019.	
not less than 2019.	Yes / No

تلتزم الشركة بتقديم عرض كامل مع القطع والإضافات اللازمة لعمل الجهاز وتوضيح أية متطلبات تلزم قبل التركيب وتوضيح ذلك في العرض المقدم من قبلها.

Polyclave

For dental lab

Good Brand Name and Country of origin (USA, Europe, Japan)

Body Material: aluminum with Teflon coated inner.

Capacity: 4 liters.

Temperature range: 55 C. PRESSURE: 2-2.5 Bar.

Pressure gauge.

With safety valve 8 bar .

Inlet outlet valve.

You price must be include :

With: 1 compressed air hose, 1 spare inlet valve. 1 spare gasket.

1 spare Locking lever kit include (pressure release valve and lid lock) . * يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبئة الجدول بالأسفل أو عدم وجود عرض تقني واضح فلن ينظر بالعرض المقدم

Model Origin Origin Origin Delivery time 3 years warranty For dental lab Body Material: aluminum with Teflon coated inner. Capacity: 4 liters. Temperature range: 55 C. PRESSURE: 2- 2.5 Bar. Pressure gauge. With safety valve 8 bar . Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Poptional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Pressure gasket . Service and user manual And spare parts list included . Price include installation with training in site . O years Warranty for spare parts Availability from date of strictled on the provided with spare part list . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include installation and team training and the same part list . Price include installation and team training and the same part list . Price include installation and team training and the same part list . Price include installation and team training and the same part list . Price include installation and team training and the same part list . Price include installation and team training in site to staff . Price include installation and team training in site to staff . Price include in	Polyclave	Compliance Yes / No (if no put your comments)
Origin Delivery time 3 years warranty For dental lab Body Material: aluminum with Teflon coated inner. Capacity: 4 liters. Temperature range: 55 C. PRESSURE: 2- 2.5 Bar. Pressure gauge. With safety valve 8 bar. Inlet outlet valve. Yes / No I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). Spare gasket. Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare coking lever kit include (pressure release valve and lid lock). Spare yes ket. Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare gasket. Optional price include installation with training in site. Operation and user manual And spare parts list included . Price include installation and team training in site to staff. Operation manuals are included with spare part list. Option and for the pressure release valve and lide of manufacturing of Polyclave, pressure release valve. Option and the pressure release valve and lide of manufacturing of Polyclave, pressure release valve. Option and the pressure release valve and lide of manufacturing of Polyclave, pressure release valve. Option and the pressure release valve and lide of manufacturing of Polyclave, pressure release valve. Option and the pressure release valve and lide of manufacturing of Polyclave, pressure release valve. Option and the pressure release valve and lide of manufacturing of Polyclave, pressure release valve and lide of manufacturing of Polyclave, pressure release valve and lide of manufacturing of Polyclave, pressure relea	Manufacture	Manufacture
Delivery time 3 years warranty For dental lab Body Material: aluminum with Teflon coated inner. Capacity: 4 liters. Capacity: 4 liters. Temperature range: 55 C. PRESSURE: 2- 2.5 Bar. Pressure gauge. With safety valve 8 bar. Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): 1 spare gasket. Service and user manual And spare parts list included. Price include installation with training in site . O years Warranty for spare parts Availability from date of service and user manuals are included with spare part list. Price include installation and team training in site to staff. Option manuals are included with spare part list.		
Jestivery time Jestivery time Jestivery time Jestivery time Jestivery		
For dental lab Body Material: aluminum with Teflon coated inner. Capacity: 4 liters. Temperature range: 55 C. PRESSURE: 2-2.5 Bar. Pressure gauge. With safety valve 8 bar. Inlet outlet valve. Yes / No I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): I spare gasket with include (pressure release valve and lid lock). I spare gasket with include (pressure release valve and lid lock). I spare gasket yes / No Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare gasket with include (pressure release valve and lid lock). Service and user manual And spare parts list included . Operice include installation with training in site . Operice include installation and team training in site to staff . Price include installation and team training in site to staff . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list . Operice include installation manuals are included with spare part list .		
Body Material: aluminum with Teflon coated inner. Capacity: 4 liters. Temperature range: 55 C. PRESSURE: 2- 2.5 Bar. Pressure gauge. With safety valve 8 bar. Inlet outlet valve. Yes / No I spare coulde in unit price: I compressed air hose , I spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket. Optional price (quote it separately): I compressed air hose , I spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket. Service and user manual And spare parts list included . Price include installation with training in site . Oyears Warranty for spare parts Availability from date of instillation Oyears Warranty for spare parts Availability from date of instillation Oyears Warranty for spare parts Availability from date of instillation Oyears Warranty for spare parts Availability from date of instillation Oyears Warranty for spare parts Availability from date of instillation manuals are included with spare part list. Yes / No Oyear of manufacturing of Polyclaya, not less the Otto.		
Capacity: 4 liters. Capacity: 4 liters. Yes / No Temperature range: 55 C. Yes / No PRESSURE: 2- 2.5 Bar. Yes / No Pressure gauge. With safety valve 8 bar. Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). 1 spare gasket. Yes / No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). 1 spare gasket. Yes / No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket. Service and user manual And spare parts list included . Price include installation with training in site . O years Warranty for spare parts Availability from date of lock include installation and team training in site to staff . Service & operation manuals are included with spare part list . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual And spare parts list included . Yes / No Optional price (pressure release valve and lide lock) . Service and user manual spare parts list included . Yes / No		
Capacity: 4 liters. Temperature range: 55 C. PRESSURE: 2- 2.5 Bar. Pressure gauge. With safety valve 8 bar. Inlet outlet valve. Yes / No Yes / No Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Yes / No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). Spare gasket. Service and user manual And spare parts list included. Price include installation with training in site. O years Warranty for spare parts Availability from date of lock include installation and team training in site to staff. Service & operation manuals are included with spare part list. Pate of manufacturing of Polyclave, pate lease to 2000.	Body Material: aluminum with Teflon coated inner	
PRESSURE: 2-2.5 Bar. PRESSURE: 2-2.5 Bar. With safety valve 8 bar. Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). 1 spare gasket. Yes/No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). 1 spare gasket. Yes/No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). 1 spare gasket. Service and user manual And spare parts list included . Yes/No Oyears Warranty for spare parts Availability from date of lock installation with training in site. Oyears Warranty for spare parts Availability from date of lock operation manuals are included with spare part list. Pate of manufacturing of Polyelayae part less the 2010.	Capacity: 4 liters.	
PRESSURE: 2- 2.5 Bar. Pressure gauge. With safety valve 8 bar . Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Yes / No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve . I spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Service and user manual And spare parts list included . Price include installation with training in site . O years Warranty for spare parts Availability from date of lock installation manuals are included with spare part list . Price include installation manuals are included with spare part list . Price of manufacturing of Polyelaye pot less the 2010.	Temperature range: 55 C.	
With safety valve 8 bar . Yes / No You price must be include in unit price : Yes / No 1 compressed air hose , 1 spare inlet valve . Yes / No 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Yes / No optional price (quote it separately) : 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Yes / No optional price (quote it separately) : 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No optice include installation and team training in site to staff . Yes / No Price include installation manuals are included with spare part list . Yes / No Optice of manufacturing of Polyclava port less the 2010 yes / No Optice include installation manuals are included with spare part list . Yes / No Optice include of manufacturing of Polyclava port less the 2010 yes / No	PRESSURE: 2- 2.5 Bar.	
Inlet outlet valve. Yes / No You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). 1 spare gasket. Yes / No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock). I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Service and user manual And spare parts list included . Price include installation with training in site. Yes / No Price include installation with training in site to staff. Service & operation manuals are included with spare part list. Pate of manufacturing of Polyclave, pat less the 2010.	Pressure gauge .	
Inlet outlet valve. You price must be include in unit price: 1 compressed air hose , 1 spare inlet valve. 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Yes / No Optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Service and user manual And spare parts list included . Price include installation with training in site . O years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff . Service & operation manuals are included with spare part list . Oate of manufacturing of Polyelaya pot less the 2010 years / No	With safety valve 8 bar .	
You price must be include in unit price: I compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Optional price (quote it separately): I compressed air hose , 1 spare inlet valve. I spare Locking lever kit include (pressure release valve and lid lock). I spare gasket. Service and user manual And spare parts list included . Price include installation with training in site. O years Warranty for spare parts Availability from date of stillation Price include installation and team training in site to staff. Service & operation manuals are included with spare part list. Oate of manufacturing of Polyclave, not less the 2010.	Inlet outlet valve .	
1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . 1 spare gasket . 2 spare inlet valve . 1 spare gasket . 2 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . 2 spare gasket . 3 spare gasket . 5 service and user manual And spare parts list included . 2 price include installation with training in site . 3 spare gasket . 5 service and user manual And spare parts list included . 6 price include installation with training in site . 6 service & operation manuals are included with spare part list . 6 price of manufacturing of Polyclave pot less the 2010	You price must be include in unit price :	
1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . 2 poptional price (quote it separately): 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Service and user manual And spare parts list included . Price include installation with training in site . 2 yes / No lock / N	I compressed air hose , 1 spare inlet valve	
optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No 10 years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff . Yes / No Price include installation and team training in site to staff . Yes / No Oate of manufacturing of Polyclava pot less the 2010	1 spare Locking lever kit include (pressure release value and the	
optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No 1 spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No 1 spare gasket . Service include installation and training in site to staff . Yes / No 2 spare gasket . Yes / No 3 spare gasket . Yes / No 3 spare gasket . Yes / No 4 spare gasket . Yes / No 5 spare gasket . Yes / No 6 spare gasket . Yes / No 7 spare gasket . Yes / No 8 spare gasket . Ye	lock).	Yes / No
optional price (quote it separately): 1 compressed air hose , 1 spare inlet valve . 1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No 10 years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff . Yes / No Service & operation manuals are included with spare part list . Yes / No Date of manufacturing of Polyclava pot less the 2010	1 spare gasket.	N
1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No Installation with training in site . Yes / No Installation with training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and In		Yes / No
1 spare Locking lever kit include (pressure release valve and lid lock) . 1 spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No Installation with training in site . Yes / No Installation with training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and team training in site to staff . Yes / No Installation and In	optional price (quote it separately) :	
I spare Locking lever kit include (pressure release valve and lid lock) . I spare gasket . Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No	1 compressed air hose 1 spare inlet valve	
Service and user manual And spare parts list included . Yes / No Price include installation with training in site . Yes / No 10 years Warranty for spare parts Availability from date of Service include installation and team training in site to staff . Yes / No Price include installation and team training in site to staff . Yes / No Date of manufacturing of Polyclave pot less the 2010	1 spare Locking lever kit include (pressure l	
Service and user manual And spare parts list included . Price include installation with training in site . O years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff . Service & operation manuals are included with spare part list . Oate of manufacturing of Polyclava pot less the 2010	lock) .	
Service and user manual And spare parts list included . Price include installation with training in site . O years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff . Service & operation manuals are included with spare part list . Oate of manufacturing of Polyclava pot less the 2010		
O years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff. Service & operation manuals are included with spare part list. Date of manufacturing of Polyclava, not less the 2010.		
or years Warranty for spare parts Availability from date of nstillation Price include installation and team training in site to staff. Service & operation manuals are included with spare part list. Pate of manufacturing of Polyclava, not less the 2010.	Price include installation with training in site	
Price include installation and team training in site to staff. Service & operation manuals are included with spare part list. Date of manufacturing of Polyclava, not less the 2010.	0 years Warranty for spare parts Assillability 6	
Date of manufacturing of Polyclava pot less than 2010	istiliation	Yes / No
Date of manufacturing of Polyclava pot less than 2010	Fire include installation and team training in site to staff.	Yes / No
rate of manufacturing of Polyclave not less than 2010	crivice & operation manuals are included with spore part list	
	Date of manufacturing of Polyclave not less than 2019 . ضافات اللازمة لعمل الجهاز و توضيح أية متطلبات تلزم قبل التركيب وتوضيح ذلك في العرض	V 135

المقدم من قبلها.

PPD-P03-R05 2 25/07/2018

Item 7 deflasking Chisel

For dental lab

Good Brand Name and Country of origin (USA, Europe, Japan)

Pneumatic deflasking Chisel.

Air consumption : 9 L min and Hand arm acceleration : 7 m/s. piston frequency : $110\,Hz$ / $130\,Hz$, Working pressure : $4-6\,bar$.

Noise level: 80 db (A) or less.

With chisel insert , connection hose 2 meter , Set of connection filters .

Service and user manual And spare parts list included .

Two years warranty.

Price include installation with training in site .

Optional price:

Different chisel insert (channeled chisel, standred)

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبئة الجدول بالأسفل أو عدم وجود عرض تقنى واضح فان ينظر بالعرض المقدم.

deflasking Chisel	Compliance Yes / No (if no put your comments)
Manufacture	
Model	Manufacture
Origin	Model
Delivery time	Origin
3 years warranty	Delivery time
For dental lab	Yes / No
	Yes / No
Pneumatic deflasking Chisel .	Yes / No
Air consumption : 9 L min .	Yes / No
Hand arm acceleration: 7 m/s.	Yes / No
piston frequency: 110 Hz/130 Hz, Noise level: 80 db (A) or less.	Yes / No
orking pressure: 4-6 par.	Yes / No
With chisel insert included with Unit price . (plz Mention Cat log Number)	Yes / No
With connection hose 2 meter, Set of connection filters.	Yes / No
10 years Warranty for spare parts Availability from date of instillation	Yes / No
Price include installation and team training in site to staff.	
Service & operation manuals are included with spare part list.	Yes / No
Date of manufacturing of deflasking Chisel not less than	Yes / No
7019,	Yes / No
Optional price :	Yes / No
Different chisel insert (channeled chisel, standard)	
(channeled chisel, standard)	Price

تلتزم الشركة بتقديم عرض كامل مع القطع والاضافات اللازمة لعمل الجهاز و توضيح أية متطلبات تلزم قبل التركيب وتوضيح ذللك في العرض


PPD-P03-R05 2 25/07/2018

Item 8 Dental lab curing unit

- Good Brand name.
- Origin: USA, Europe, japan.
- Power switch , curing switch .
- Turntable.
- · With timer .
- With two lamp extra including in the unit price
- Protective shield.
- 220V .

يجب تعبنة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني

Dental lab curing unit	Compliance Yes / No (if no put your comments)
Manufacture	Manufacture
Model	
Origin: USA, Europe	Model
Delivery time	Origin
3 years warranty	Delivery
Power switch , curing switch .	Ves/No
Turntable .	Yes/No
	Yes/No
With timer .	Yes/No
With two lamp extra including in the unit price	Yes/No
Protective shield .	
220V .	Yes/No
User's and service manual.	Yes/No
	Yes/No
Price include installation and team training in site.	Yes/No
3 years warranty, 10 years availability spare parts	Yes/No
Date of manufacture not less than 2018	18.75000 TAE





Item 9 Dental Steam Cleaner

Brand name.

3 years warranty, 10 years availability spare parts.

Origin: USA, EURO ,japan .

Water Tank : 4 L

Heating element: 1500 W

Low and height water level indicator.

Regular tap water

4 bar operated pressure.

over temperature protection.

Fast heating up: 10 – 15 minutes.

With fluid cleaning for cleaning boiling tank.

يجب تعبنة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني

Dental Steam Cleaner	Compliance Yes / No (if no put your comments)
Manufacture	
Model	Manufacture
Origin:	Model
Delivery time	Origin
3 years warranty	Delivery time
For dental lab	Yes / No
Water Tank : 4 L	Yes / No
	Yes / No
Heating element: 1500 W	Yes / No
Low and height water level indicator .	Yes / No
Regular tap water	Yes / No
4 bar operated pressure .	Yes / No
over temperature protection .	Yes / No
Fast heating up : 10 – 15 minutes .	
With fluid cleaning for cleaning boiling tank .	Yes / No
With all stander accessories	Yes / No
Your warranty must be include all spare parts and labor .	Yes./ No
Price should be included in spare parts and labor.	Yes / No
Price should be include installation and team training to(doctor , staff , operator for operation training) in site .	Yes / No
Service & operation manuals are included	Yes / No
Date of manufacturing of system not less than 2017.	Yes / No



CAD/ CAM system lab side

Brand name.

5 years warranty, 10 years availability spare parts.

Origin: USA, EURO

CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera & scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS

- Open system ability to integrate multivendor or any component system.
- * Any Software updates should be free of charge up to 5 years.
- * Lab side .
- * With all milling pairs .
- * With 15 starters blocks .

Application:

- single tooth, full jaw.
- * All CAD/CAM material (ceramics, metals, polymers, wax)

Camera:

- * Easy clean, Lightweight.
- * Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc.
- * Continuous colour imaging and data acquisition generates 3d model.
- * Cab be combined with any milling machine (open file)

Scanner:

- * Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc.
- * Continuous colour imaging and data acquisition generates 3d model.
- * Cab be combined with any milling machine (open file)

Milling machine:

- * Complete single unit to multi units milling.
- * High Milling Accuracy

High-temperature furnace:

* is suitable for all sintering materials that can be processed FOR CAD/CM SYSTEM IN Lab.

3 d printer SLA:



- Origin: USA EUROPE
- 5 YEARS WARRANTY
- With all standred accessories.
- · Ready with software
- Open system ability to integrate multivendor or any component system.

يجب تعبنة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني

Model Origin Delivery time 5 years warranty, 10 years availability spare parts. CAD/CAM system: CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d	CAD/ CAM system	Compliance Yes / No (if no put your
Origin Delivery time 5 years warranty, 10 years availability spare parts. CAD/CAM system: CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * With all milling pairs. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. Application: * single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Can be combined with any milling machine (open file) Easy clean, Lightweight. Fast No		comments)
Delivery time 5 years warranty, 10 years availability spare parts. CAD/CAM system: CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * With all milling pairs. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * All CAD/CAM material (ceramics, metals, polymers, wax) * All CAD/CAM material (ceramics, metals, polymers, wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.		
Selvery time Selvery time CAD/CAM system: CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * With all milling pairs. * With 15 starters blocks. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * With 16 starters blocks. * All CAD/CAM material (ceramics, metals, polymers, wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Fast No Cannera: Yes / No Cannera: Can be combined with any milling machine (open file)		
Syears warranty, 10 years availability spare parts. CAD/CAM system: With All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * With all milling pairs. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. Any Software updates should be free of charge up to 5 years. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * With 25 km No * Single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) * Yes / No Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.		
CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * Lab side . * With all milling pairs . * With 15 starters blocks . * With 15 starters blocks . * Any Software updates should be free of charge up to 5 years . * Lab side . * With 15 starters blocks . * Any Software updates should be free of charge up to 5 years . * Lab side . * With 15 starters blocks . * Any Software updates should be free of charge up to 5 years . * Yes / No * Populication: * Single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) * Yes / No * Tamera : * Yes / No * Yes / No * Cantinuous colour imaging and data acquisition generates 3d model. * Cab be combined with any milling machine (open file) * Yes / No * Population: * Yes / No	5 years warranty, 10 years availability spare parts.	
CAD/CAM system: with All standard Accessories to make it fully functional and operational from input (camera or scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years . * With all milling pairs . * With 15 starters blocks . Any Software updates should be free of charge up to 5 years . * With 15 starters blocks . Any Software updates should be free of charge up to 5 years . * With 16 starters blocks . Any Software updates should be free of charge up to 5 years . * With 17 starters blocks . Any Software updates should be free of charge up to 5 years . * Yes / No * All CAD/CAM material (ceramics, metals, polymers , wax) * All CAD/CAM material (ceramics, metals, polymers , wax) * Yes / No * Zamera : * Yes / No * Yes / No * Continuous colour imaging and data acquisition generates 3d model. * Cab be combined with any milling machine (open file) * Easy clean, Lightweight. * Yes / No * Yes / No		
scanner) + analysis and design with processing and enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * Lab side . * With all milling pairs . * With 15 starters blocks . Any Software updates should be free of charge up to 5 years . * Single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers , wax) * Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Fast lightweight. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	fully functional and operational from input (camera or	
enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS * Open system ability to integrate multivendor or any component system. * Any Software updates should be free of charge up to 5 years. * With all milling pairs. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * With 15 starters blocks. Any Software updates should be free of charge up to 5 years. * Single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Fast clean, Lightweight.	scanner) + analysis and design with processing and	
component system. * Any Software updates should be free of charge up to 5 years. * With all milling pairs. * With 15 starters blocks. * Mysoftware updates should be free of charge up to 5 years. * Any Software updates should be free of charge up to 5 years. * Application: * single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) * Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Canner:	enhancement Software, PC + out put to (Milling or 3d printer) + 4 KVA UPS	
* Any Software updates should be free of charge up to 5 years . * With all milling pairs . * With 15 starters blocks . * With 15 starters blocks . * Any Software updates should be free of charge up to 5 years . * Single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers , wax) * Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Canner: * With all milling pairs . Yes / No	 Open system ability to integrate multivendor or any component system. 	Yes / No
* With all milling pairs . * With 15 starters blocks . * Any Software updates should be free of charge up to 5 years . * Application: * single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers , wax) * Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.		
* With 15 starters blocks . Any Software updates should be free of charge up to 5 years . Application: * single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers , wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	* Lab side .	
* With 15 starters blocks . Any Software updates should be free of charge up to 5 years . Application: * single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers , wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Yes / No Yes / No Yes / No Yes / No	* With all milling pairs	
* single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.		
* single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	Any Software updates should be free of charge up to 5 years.	Yes / No
* Single tooth, full jaw. * All CAD/CAM material (ceramics, metals, polymers, wax) Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	Application:	
* All CAD/CAM material (ceramics, metals, polymers, wax) Camera: Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight. Yes / No	* single tooth, full jaw.	
Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	* All CAD/CAM material (ceramics, metals, polymers, wax)	
Easy clean, Lightweight. Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	Camera:	
Fast and Easy operation and installation can be connected to pc via a USB and allowing to portability from pc to pc. Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	Easy clean, Lightweight.	
Continuous colour imaging and data acquisition generates 3d model. Cab be combined with any milling machine (open file) Easy clean, Lightweight.	Fast and Easy operation and installation can be	res / No
Cab be combined with any milling machine (open file) Easy clean, Lightweight. Canner:	pc via a USB and allowing to portability from ne to pe	Yes / No
Easy clean, Lightweight.	model.	Yes / No
Easy clean, Lightweight.	Cab be combined with any milling machine (open file)	Yes / No
Cannari	Easy clean, Lightweight.	
	canner:	

* Fast and Easy operation and installation can be connected to	
pc via a USB and allowing to portability from pc to pc.	
* Continuous colour imaging and data acquisition generates 3d	
model.	
* Cab be combined with any milling machine (open file)	
Milling machine:	
* Complete single unit to multi units milling.	
* High Milling Accuracy	
High-temperature furnace:	Yes / No
* is suitable for all sintering materials that can be processed FOR CAD/CM SYSTEM IN Lab.	Yes / No
3 d printer SLA:	Yes / No
	Yes / No .
Origin : USA EUROPE	
• 5 YEARS WARRANTY	
 With all standred accessories. 	Yes / No
 Ready with software 	
Your warranty must be include all spare parts and labor .	
Your warranty include at least two visits at least (preventive maintenance) in site for each year warranty from the date of the installation .	Yes / No
Price should be include installation and team training to(doctor , staff , operator for operation training) in site .	Yes / No
Your offer should be included price for operation training for TWO person	
in factory. (included with your total price and cover: pocket money, transportation, accommodation)	
Your offer should be included price for service training for one person in	
factory. (included with your total price)	Yes / No
Service & operation manuals are included	Yes / No
Date of manufacturing of system not less than 2019.	Yes / No

 Plz attach your offer with all technical data sheet for X ray tube 	Is it attached ??
Your warranty must be include all spare parts and labor.	Yes / No
Your warranty include at least two visits at least (preventive maintenance) in site for each year warranty from the date of the installation .	Ves / No
Price include installation team training to(doctor , staff for operation training) in site	Yes / No
Service & operation manuals are included	Yes / No
Date of manufacturing of intraoral x ray system not less than 2019	Yes / No



Vibrator

For dental lab

Good Brand Name and Country of origin (USA, Europe, Japan)

Vertical oscillating.

Adjustable speed knop .

Removable cover for easy cleaning.

Dimension WXDXH: 14 X 17 x 10 cm.

Power: 320 W, 230 V/50 Hz.

3 years warranty.

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني وفي حال عدم تعبئة الجدول بالأسفل أو عدم * وجود عرض تقني واضح فلن ينظر بالعرض المقدم

Vibrator	Compliance Yes / No (if no put your comments)
Manufacture	Manufacture
Model	Model
Origin	Origin
Delivery time	Delivery time
3 years warranty	Yes / No
For dental lab	Yes / No
Vertical oscillating .	Yes / No
Adjustable speed knop .	Yes / No
Removable cover for easy cleaning.	Yes / No
Dimension WXDXH: 14 X 17 x 10 cm.	Yes / No
Power: 320 W, 230 V / 50 Hz.	Yes / No
10 years Warranty for spare parts Availability from date of instillation	Yes / No
Price include installation and team training in site to staff.	Yes / No
Service & operation manuals are included with spare part list.	Yes / No
Date of manufacturing of Vibrator not less than 2019.	Yes / No

* تلتزم الشركة بتقديم عرض كامل مع القطع والاضافات اللازمة لعمل الجهاز و توضيح أية متطلبات تلزم قبل التركيب وتوضيح ذلك في العرض المقدم من قبلها.

