

0

التاريخ: 23/09/2020

السادة: ..... المحترمين

تلفون: .....

فاكس: .....

رقم / الاستدراج : (Q007.2021)

BR1920-1150

الموضوع: عروض اسعار

إشارة إلى الموضوع اعلاه الرجاء تزويدنا بأسعار اللوازم التالية (بالدولار) شامل لضريبة القيمة المضافة والتوصيل لمقر الجامعة العربية الأمريكية في رام الله:

اسم الصنف	الوحدة	الكمية	السعر	اجمالي تكلفة البند
Vital Sign Monitor	عدد	1		
		المجموع الكلي		

\*\*Please See The Attached "Specefication File

#### شروط الاستدراج

- 1- يرجى العلم ان اخر موعد لتسليم العروض هو يوم
- 2- الاسعار شاملة لضريبة القيمة المضافة.
- 3- ضرورة تحديد مدة التوريد من تاريخ استلام امر الشراء، و في حال عدم الالتزام يتم فرض غرامة تأخير .
- 4- ختم وتوقيع المورد المعتمد على هذا النموذج، وكتابة رقم الاستدراج واسم الشركة كما هو مسجل لدى الضريبة على الظرف.
- 5- لا تقبل العروض الا بالظرف المختوم.
- 6- للمراجعة والاستفسار بخصوص المواصفات يرجى الاتصال على هاتف 042418888 رقم داخلي 1478 او فاكس 042510972 أو بريد الكتروني omar.aburrob@aaup.edu
- 7- لمشاهدة العطاءات والاستدراجات، يرجى الدخول الى الرابط <http://www.aaup.edu/Tenders>

مع الاحترام

مدير دائرة اللوازم و المشتريات



## Vital Sign monitor

- Origin : USA Europe japan
- Brand name
- Lightweight and portable .
- Display : 85 x 100 mm
- For adult & pediatric
- With memory.
- Display & Measurement :
- NIBP : DIA adult ( 21 to 220 mmHg ) , pediatric ( 21 to 120 mmHg ) , Neonate ( 21 to 100 mmHg )
- NIBP : SYS adult ( 41 to 255 mmHg ) , pediatric ( 41 to 160 mmHg ) , Neonate ( 41 to 130 mmHg )
- Pulse range : 25 to 220 BPM WITH ACCURACY  $\pm 2\%$
- Spo2 :
- Range : 0 to 100%
- Saturation Accuracy : 70 to 100 %  $\pm 2\%$
- Temperature :
- Measurement range 0 to 100 %
- Accuracy at 33 C  $\pm 0.2$
- Display resolution : 0.1 C .
- Power source :
- Direct
- Internal battery 12V 2100 mAh
- Operation time 4 hours .

*price include all accessories ( sensors , probe , cuff , .. ) to work completely for above parameter  
price include delivery and installation in site  
with service and user manual  
3 years warranty*

### Optional price :

Internal printer with paper  
Mobile stand with counter weight  
Reusable spo2 sensor



214

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني

Vital Sign monitor		Compliance Yes / No ( if no put your comments )
Manufacture		Manufacture
Model		Model
Origin		Origin
Delivery time		Delivery time
3 years warranty, 10 years availability spare parts.		Yes / No
• Origin : USA Europe japan		Yes / No
• Brand name		Yes / No
• Lightweight and portable .		Yes / No
• Display : 85 x 100 mm		Yes / No
• For adult pediatric		Yes / No
• With memory		Yes / No
• <i>display &amp; Measurement :</i>		Yes / No
• NIBP : DIA adult ( 21 to 220 mmHg ) , pediatric ( 21 to 120 mmHg ) , Neonate ( 21 to 100 mmHg)		Yes / No
• NIBP : SYS adult ( 41 to 255 mmHg ) , pediatric ( 41 to 160 mmHg ) , Neonate ( 41 to 130 mmHg)		Yes / No
• NIBP : MAP adult ( 26 to 210 mmHg ) , pediatric ( 26 to 133 mmHg ) , Neonate ( 26 to 120 mmHg)		Yes / No
• Pulse range : 25 to 220 BPM WITH ACCURACY $\pm$ 2%		Yes / No
• SpO2 :		Yes / No
Range : 0 to 100%		Yes / No
Saturation Accuracy : 70 to 100 % $\pm$ 2%		Yes / No
• Temperature :		Yes / No
Measurement range 0 to 100 %		Yes / No
Accuracy at 33 C $\pm$ 0.2		Yes / No
Display resolution : 0.1 C .		Yes / No



3/9

• Power source :	Yes / No
Direct	Yes / No
Internal battery 12V 2100 mAh	Yes / No
Operation time 4 hours .	Yes / No
<b>Price include all accessories ( sensors , probe , cuff , .. ) to work completely for above parameter</b>	Yes / No
<b>Optional price :</b>	Yes / No
<i>Internal printer with paper</i>	Yes / No
Mobile stand with counter weight	Yes / No
Reusable spo2 sensor	Yes / No
<b>Your warranty must be include all spare parts and labor .</b>	Yes / No
<b>Price should be include installation and team training in site .</b>	Yes / No
<b>Service &amp; operation manuals are included &amp; Date of manufacturing of system not less than 2020 .</b>	Yes / No



4/13