

التاريخ 12/05/2022

رقم الاستدراج: Q299.2022

السادة:
تلفون:
إيميل:

BR2122-000771-448

استدراج عروض أسعار: الرجاء تزويدنا بأسعار اللوازم التالية شامل لضريبة القيمة المضافة:

#	اسم الصنف	الوحدة	الكمية	السعر	اجمالي تكلفة البند
1	Medical O2 generator للمواصفات صفحة 2 و3	عدد	1		
2	Vein Illumination system المواصفات صفحة 4،5	عدد	1		
3	Emergency Stretcher Trolley المواصفات صفحة 6	عدد	1		
			المجموع الكلي (ش.ض)	دولار	

ختم وتوقيع المورد:

تعليمات الاستدراج

** آخر موعد لتسليم العروض هو يوم:	الثلاثاء
** الموافق:	17/05/2022
** طبيعة البنود المطلوبة:	أجهزة طبية
** بعملة:	دولار
** الأسعار تشمل التوصيل ل:	الحرم الرئيسي - جنين
** نوع التوريد:	توريد كامل
** يرجى إرسال العرض ب:	بالطرق المغلق

شروط الاستدراج:

- ** ضرورة تحديد مدة الكفالة إن وجدت.
- ** ضرورة تحديد مدة التوريد من تاريخ استلام امر الشراء، وفي حال عدم الالتزام يتم فرض غرامة تأخير .
- ** ختم وتوقيع المورد المعتمد على هذا النموذج، وكتابة رقم الاستدراج واسم الشركة كما هو مسجل لدى الضريبة على الطرف.
- ** للمراجعة والاستفسار بخصوص المواصفات يرجى الاتصال على هاتف 042418888 رقم داخلي 1481 أو الرقم 1491
- ** للمراجعة والاستفسار بخصوص المواصفات عن طريق فاكس 042510972 أو بريد الكتروني manal.daraghmah@aaup.edu
- ** لمشاهدة العطاءات والاستدراجات، يرجى الدخول الى الرابط <http://www.aaup.edu/tenders>

مدير دائرة اللوازم و المشتريات



Item 1

Medical O2 generator

Medical o2 generator

easy adjustable

with flow meter

24hours / 7 days continuous suppling o2 .

Fault diagnostic and safety

with alarm system at low o2 concentration .

Flow rate 10L/min

o2 purity : $\geq 93 \pm 3\%$

Noise : ≤ 50 dB

Nasal Cannula, adult mask, humidifier bottle, Oxygen tube, Nebulizer cup

Portable with casters .

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني

<u>Medical O2 generator</u>	Compliance Yes / No (if no put your comments)
Manufacture	Manufacture
Model	Model
Origin	Origin
Delivery time	Delivery time
3 years warranty, 10 years availability spare parts.	Yes / No
Medical o2 generator	Yes / No
easy adjustable	Yes / No
with flow meter	Yes / No
24hours / 7 days continuous suppling o2 .	Yes / No
Fault diagnostic and safety	Yes / No
with alarm system at low o2 concentration .	Yes / No
Flow rate 10L/min	Yes / No
o2 purity : $\geq 93 \pm 3\%$	Yes / No
Noise : ≤ 50 dB	Yes / No
Nasal Cannula, adult mask, humidifier bottle, Oxygen tube, Nebulizer cup	Yes / No
Portable with casters .	Yes / No
24hours / 7 days continuous suppling o2 .	Yes / No



Fault diagnostic and safety	Yes / No
with alarm system at low o2 concentration .	Yes / No
Your warranty must be include all spare parts and labor	Yes / No
Price should be include installation and team training in site .	Yes / No
Service & operation manuals are included & Date of manufacturing of system not less than 2022	Yes / No



Item 2

Vein Illumination system

3years warranty
To identifying Vein
Vein illumination device
Without calibration and ready to use
Different zoom and color
Adult pediatric and dark skin .
Handheld
Non contact
Lightweight
Easy to use
With rechargeable battery and charger working up to 3 hours
With mobile trolley

يجب تعبئة الجدول بالأسفل بالإضافة الى تقديم عرض الشركة التقني

<u>Vein Illumination system</u>	Compliance Yes / No (if no put your comments)
Manufacture	Manufacture
Model	Model
Origin	Origin
Delivery time	Delivery time
2 years warranty, 10 years availability spare parts.	Yes / No
To identifying Vein	Yes / No
Vein illumination device	Yes / No
Without calibration and ready to use	Yes / No
Adult pediatric and dark skin . Different zoom and color	Yes / No
Handheld	Yes / No
Non contact	Yes / No
Lightweight	Yes / No
Easy to use	Yes / No



With rechargeable battery and charger working up to 3 hours	Yes / No
Price should be include installation and team training in site .	Yes / No
Service & operation manuals are included & Date of manufacturing of system not less than 2022 .	Yes / No
With mobile trolley	Yes / No

15



Emergency Stretcher Trolley

3 years warranty

For emergency, transport .

Operation : hydro-pneumatic.

mattress : water proof with an antibacterial surface easy cleaning .

adjustable backrest , adjustable height , Trendelenburg, reverse Trendelenburg , ergonomic .

Hydraulic control pedals on both sides .

height adjustable: 580 - 800 mm .

Head-backrest section: 80° upward.

with side rail .

working load 185 kg .

tabletop is raised and lowered by a hydraulic foot pedal system .

4 large casters with break .

I.V. stand - Telescopic, folding .

3 sections .

Large swivel bumpers on each corner for maximum impact protection.

الصورة التوضيحية بالأسفل للدلالة فقط على المطلوب

