

التاريخ 11/12/2022




رقم الاستدراج: R-Q017-202223





السادة:



تلفون:

إيميل:

استدراج عروض أسعار: الرجاء تزويدنا بأسعار اللوازم التالية شامل لضريبة القيمة المضافة والتوصيل الى حرم الجامعة في رام الله :

اسم الصنف	الوحدة	الكمية	السعر	اجمالي تكلفة البند
Air compressor - Bostitch or equivalent				
	عدد	1	Motor Horse Power	minimum, 1.5HP
			Capacity	Minimum, 150 l/min
			Pump	Without Oil recommended
			Voltage	220 V, 50Hz
			Pressure	Minimum, 7 bar
			Status	Portable
			RPM	Minimum, 2500
			ACCESSORIES	With an air hose of 10 m at least
			Noise	With Low Noise Compressor
			Belt & Disc Sander machine - Rikon or equivalent	
	عدد	1	Sanding Table	Minimum 170mm x 250mm
			Table Tilt	90 to 45 Degrees
			Disc Diameter	Maximum 225mm
			Disc Speed	Minimum 1800rpm
			Belt Size	Maximum 160mm x 1230mm
			Belt Speed	maximum 7 metres / second
			Motor (Induction)	750w
			Mitre Guide T Slot (W x D)	Maximum 20mm x 10mm
			Dimensions (WxDxH)	Maximum 800mm x 550mm x 400mm
			Included items	Sanding Disc (10 items), Sanding Belt (10 items) for the machine
Miter Saw - Evolution or equivalent				
	عدد	1	Motor	220 V, 50/60Hz, Around 2000w
			Amps	Minimum, 12A
			Horse Power	Minimum 3.5 HP
			RPM No Load	Minimum, 2500rpm
			Depth Of Cut (90° Bevel)	Minimum, 80mm
			Depth Of Cut (45° & -45° Bevel)	Minimum, 31mm
			Width Cut (90° Miter)	Minimum, 3000mm
			Width Cut (45° & -45° Miter)	Maximum, 220mm
			Miter Degree	Maximum, 55 Left, 55 Right
			Duty Cycle	Maximum, 30mins
			Sound Pressure Level (Under Load)	Maximum, 95dB
			Tool Dimensions (HxWxD)	Maximum, 610x510x790mm
			Supply and install a Table Saw Machine - prescott or equivalent	
Table size mm	Minimum, 780x660 mm			

اجمالي تكلفة البند	السعر	الكمية	الوحدة	اسم الصنف																																
		1	عدد		<table border="1"> <tr> <td>l/b/h mm</td> <td>Maximum, 1,200/720/1,300</td> </tr> <tr> <td>Sliding carriage mm (extra)</td> <td>Maximum, 430 x 680</td> </tr> <tr> <td>Sawblade ø mm/teeth</td> <td>Minimum, 270/24</td> </tr> <tr> <td>Tilting range °</td> <td>45</td> </tr> <tr> <td>Speed rpm</td> <td>Minimum, 3800</td> </tr> <tr> <td>Cutting speed m/sec</td> <td>Minimum, 48</td> </tr> <tr> <td>Ripping fence length mm</td> <td>Minimum, 800</td> </tr> <tr> <td>Angle fence °</td> <td>2 x 60</td> </tr> <tr> <td>Motor</td> <td>220 V/50Hz</td> </tr> <tr> <td>Input kW (HP)</td> <td>Maximum, 3.0 (3.8)</td> </tr> <tr> <td>Output kW (HP)</td> <td>Minimum, 3.0 (3.7)</td> </tr> <tr> <td>Speed rpm</td> <td>Minimum, 2800</td> </tr> <tr> <td>Brake</td> <td>Yes</td> </tr> <tr> <td>Motor protection</td> <td>Yes</td> </tr> <tr> <td>Switch/plug unit with no-volt release</td> <td>Yes</td> </tr> </table>	l/b/h mm	Maximum, 1,200/720/1,300	Sliding carriage mm (extra)	Maximum, 430 x 680	Sawblade ø mm/teeth	Minimum, 270/24	Tilting range °	45	Speed rpm	Minimum, 3800	Cutting speed m/sec	Minimum, 48	Ripping fence length mm	Minimum, 800	Angle fence °	2 x 60	Motor	220 V/50Hz	Input kW (HP)	Maximum, 3.0 (3.8)	Output kW (HP)	Minimum, 3.0 (3.7)	Speed rpm	Minimum, 2800	Brake	Yes	Motor protection	Yes	Switch/plug unit with no-volt release	Yes	4
l/b/h mm	Maximum, 1,200/720/1,300																																			
Sliding carriage mm (extra)	Maximum, 430 x 680																																			
Sawblade ø mm/teeth	Minimum, 270/24																																			
Tilting range °	45																																			
Speed rpm	Minimum, 3800																																			
Cutting speed m/sec	Minimum, 48																																			
Ripping fence length mm	Minimum, 800																																			
Angle fence °	2 x 60																																			
Motor	220 V/50Hz																																			
Input kW (HP)	Maximum, 3.0 (3.8)																																			
Output kW (HP)	Minimum, 3.0 (3.7)																																			
Speed rpm	Minimum, 2800																																			
Brake	Yes																																			
Motor protection	Yes																																			
Switch/plug unit with no-volt release	Yes																																			
		1	عدد	<p>Mini grinder - ingco, Total or equivalent</p>  <table border="1"> <tr> <td>Speed control</td> <td>Variable speed control</td> </tr> <tr> <td>Voltage</td> <td>220-240V~50/60Hz</td> </tr> <tr> <td>accessories</td> <td>With accessories</td> </tr> </table>	Speed control	Variable speed control	Voltage	220-240V~50/60Hz	accessories	With accessories	5																									
Speed control	Variable speed control																																			
Voltage	220-240V~50/60Hz																																			
accessories	With accessories																																			
		3	عدد	<p>Electric screwdriver - Worx or equivalent</p>  <table border="1"> <tr> <td>Product Dimensions</td> <td>13.3 x 4.1 x 8.6 inches</td> </tr> <tr> <td>Batteries</td> <td>1 Lithium ion batteries</td> </tr> <tr> <td>Power Source</td> <td>Battery-Powered</td> </tr> <tr> <td>Voltage</td> <td>20 volts</td> </tr> <tr> <td>Item Package Quantity</td> <td>1</td> </tr> <tr> <td>Special Features</td> <td>Variable Speeds, Minimum 2 speeds</td> </tr> <tr> <td>Included Components</td> <td>(1) LD120 20V Drill/Driver with (2) batteries and (1) charger, (1) 34pc Project Kit, (1) Storage Bag</td> </tr> <tr> <td>Battery Cell Type</td> <td>Lithium Ion</td> </tr> <tr> <td>Average Battery Life</td> <td>Minimum, 24 hours</td> </tr> <tr> <td>Warranty Description</td> <td>2 year limited warranty</td> </tr> <tr> <td>Voltage</td> <td>Minimum, 3.4 volts</td> </tr> <tr> <td>Wattage</td> <td>Minimum, 600 watts</td> </tr> </table>	Product Dimensions	13.3 x 4.1 x 8.6 inches	Batteries	1 Lithium ion batteries	Power Source	Battery-Powered	Voltage	20 volts	Item Package Quantity	1	Special Features	Variable Speeds, Minimum 2 speeds	Included Components	(1) LD120 20V Drill/Driver with (2) batteries and (1) charger, (1) 34pc Project Kit, (1) Storage Bag	Battery Cell Type	Lithium Ion	Average Battery Life	Minimum, 24 hours	Warranty Description	2 year limited warranty	Voltage	Minimum, 3.4 volts	Wattage	Minimum, 600 watts	6							
Product Dimensions	13.3 x 4.1 x 8.6 inches																																			
Batteries	1 Lithium ion batteries																																			
Power Source	Battery-Powered																																			
Voltage	20 volts																																			
Item Package Quantity	1																																			
Special Features	Variable Speeds, Minimum 2 speeds																																			
Included Components	(1) LD120 20V Drill/Driver with (2) batteries and (1) charger, (1) 34pc Project Kit, (1) Storage Bag																																			
Battery Cell Type	Lithium Ion																																			
Average Battery Life	Minimum, 24 hours																																			
Warranty Description	2 year limited warranty																																			
Voltage	Minimum, 3.4 volts																																			
Wattage	Minimum, 600 watts																																			
		1	عدد	<p>Jigsaw - Worx or equivalent</p>  <table border="1"> <tr> <td>Size</td> <td>20V</td> </tr> <tr> <td>Power Source</td> <td>Battery-Powered</td> </tr> <tr> <td>Voltage</td> <td>20 volts</td> </tr> <tr> <td>Item Package Quantity</td> <td>1</td> </tr> </table>	Size	20V	Power Source	Battery-Powered	Voltage	20 volts	Item Package Quantity	1	7																							
Size	20V																																			
Power Source	Battery-Powered																																			
Voltage	20 volts																																			
Item Package Quantity	1																																			

اسم البند	الكمية	الوحدة	السعر	اجمالي تكلفة البند	اسم الصنف																			
						<table border="1"> <tr> <td>Certification</td> <td>certified frustration-free</td> </tr> <tr> <td>Included Components</td> <td>(1) Cordless Jigsaw, (1) Jigsaw Blade kit, (2) batteries and (1) charger</td> </tr> <tr> <td>Warranty Description</td> <td>2 year limited warranty</td> </tr> </table>	Certification	certified frustration-free	Included Components	(1) Cordless Jigsaw, (1) Jigsaw Blade kit, (2) batteries and (1) charger	Warranty Description	2 year limited warranty												
Certification	certified frustration-free																							
Included Components	(1) Cordless Jigsaw, (1) Jigsaw Blade kit, (2) batteries and (1) charger																							
Warranty Description	2 year limited warranty																							
	2	عدد				<table border="1"> <tr> <td colspan="2">Paint Sprayer</td> </tr> <tr> <td>Pressure Control</td> <td>✓</td> </tr> <tr> <td>Pressure Range</td> <td>450 - 2100 psi</td> </tr> <tr> <td>Tip Size Supported</td> <td>0.2 - 0.45 mm</td> </tr> <tr> <td>FlexLiner Bags Included</td> <td>4</td> </tr> <tr> <td>Power Source</td> <td>air brusher</td> </tr> <tr> <td>Filter Mesh Included</td> <td>Maximum 60 Mesh</td> </tr> <tr> <td>Fully Repairable</td> <td>✓</td> </tr> <tr> <td>Storage Bag Included</td> <td>✓</td> </tr> </table>	Paint Sprayer		Pressure Control	✓	Pressure Range	450 - 2100 psi	Tip Size Supported	0.2 - 0.45 mm	FlexLiner Bags Included	4	Power Source	air brusher	Filter Mesh Included	Maximum 60 Mesh	Fully Repairable	✓	Storage Bag Included	✓
Paint Sprayer																								
Pressure Control	✓																							
Pressure Range	450 - 2100 psi																							
Tip Size Supported	0.2 - 0.45 mm																							
FlexLiner Bags Included	4																							
Power Source	air brusher																							
Filter Mesh Included	Maximum 60 Mesh																							
Fully Repairable	✓																							
Storage Bag Included	✓																							
	3	عدد			Laser Meter – Bosch GLM 50	9																		
	6	عدد			ملزمة يدوية حرف F بطول لا يقل عن 50 سم لتثبيت القطع الخشبية والمعدنية	10																		
			شيقل	المجموع الكلي (ش.ض)																				

** ضرورة تحديد مدة الكفالة لكل بند، في حال توفرت.

** الرجاء ذكر رقم الموديل بالاضافة للنوعية للأنواع المكافئة .

تعليمات الاستدراج	ختم وتوقيع المورد:
** آخر موعد لتسليم العروض هو يوم:	الثلاثاء
** الموافق:	20/12/2022
** طبيعة البنود المطلوبة:	ماكينات وعدة
** بعملة:	شيقل
** الأسعار تشمل التوصيل ل:	مقر الجامعة في رام الله
** نوع التوريد:	توريد كامل
** يرجى إرسال العرض ب:	بالظرف المغلق

شروط الاستدراج:
** تقديم عرض السعر في حرم الجامعة في رام الله.
** ضرورة تحديد مدة الكفالة إن وجدت.
** ضرورة تحديد مدة التوريد من تاريخ استلام امر الشراء، و في حال عدم الالتزام يتم فرض غرامة تأخير .
** ختم وتوقيع المورد المعتمد على هذا النموذج، وكتابة رقم الاستدراج واسم الشركة كما هو مسجل لدى الضريبة على الظرف.
** للمراجعة والاستفسار بخصوص المواصفات يرجى الاتصال على هاتف 022941999 رقم داخلي 1910 .



اسم الصنف	الوحدة	الكمية	السعر	اجمالي تكلفة البند
** للمراجعة والاستفسار بخصوص المواصفات عن طريق البريد الالكتروني Rasha.kmail@aaup.edu				
** لمشاهدة العطاءات والاستدراجات، يرجى الدخول الى الرابط http://www.aaup.edu/tenders				

